

September 27, 2012

Vicsa Safety S.A. Casa Matriz Pintor Cicarelli 683-SAN JOAQUÍN SAN **CHILI** 

Intertek Test Report Number: G100766457CRT-109

Dear Claudio Martinez Muratsuka:

Intertek has completed the evaluation of your Spy Flex Safety Spectacles with Amber Lenses, manufactured by Vicsa Safety S.A. to the Rating of Z87+. The Safety Spectacles were evaluated to the requirements of American National Standard for Occupational and Educational Personal Eye and Face Protection Devices, ANSI/ISEA Z87.1-2010. The test samples were received on 8/16/12 in new condition. The evaluations were performed at Intertek in Cortland, NY on 9/18/12 through 9/26/12. The results of these tests are as indicated below.

Sample	<b>(s)</b>	provided for Evaluation:
20 pairs	of	Safety Spectacles

Tests Completed:	Test Date(s):	<u>Section</u>	Results
General Requirements (All Protectors)	9/18/12-9/26/12	5	PASS
Impact Protector Requirements (Z87+)	9/18/12-9/26/12	6	PASS
Droplet and Splash, Dust, and Fine Dust		0	
Protector Requirements	N/A	o	N/A

#### NOTE: See Pages 3-7 for the representative data sheets for the product evaluated.

This test report concludes the work for your project outlined under Intertek Quote No: 500380131. If there are any questions regarding this report please contact the undersigned at 607-753-6711.

Tested by:

Reviewed by:

Erik Sprague Associate Engineer Sara Ensign Technician I


Performance Group

Performance Group









This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

### INTERTEK TEST DATA SHEETS

Page 2 of 7

Client: Vicsa Safety SA Engineer: Erik Sprague

9/18/12-

Job No.:G100766457Tested By:Erik SpragueDate:9/26/12Product:SpectaclesReviewed By:Sara EnsignDate:9/27/12

Model No.: Spy Flex Standard: ANSI/ISEA Z87.1-2010

Description: Safety Spectacles with amber lenses

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:		FF Respirator:	Removable:	
Style:	Plano:	X	Rx:	Photochromatic:	Tinted:	X	Clear:	Non-Removable:	X

Table of Contents:	able of Contents:								
Required:	Page(s):	Section:	Test Description:	Pass/Fail:					
(X)	1-7	N/A	Intertek Report No: G100766457CRT-109	N/A					
(X)	2	N/A	Table of Contents	N/A					
(X)	2	N/A	Equipment List	N/A					
(X)	3-5	5	General Requirements (all protectors)	PASS					
(X)	5-7	6	Impact Protector Requirements (Z87+)	PASS					

Equipme	nt List:				
Used:	Equipment:	Manufacturer:	Model No.:	Control No.:	Cal. Due Date:
(X)	Headform	Inspec	EN 168:2001 Medium Head (50 <sup>th</sup> percentile adult male)	N/A	N/A
(X)	Headform	Inspec	"H" Head	NA	N/A
(X)	6-inch scales	Fowler	52-389-006	N1273	4/23/13
(X)	Gram Scale	Denver Inst	DI-4K	S132	11/11/12
(X)	Calipers	Mitu	0-6"	N1217	5/30/13
(X)	Tape Measure	Craftsman	939392	N766	11/22/12
(X)	Thermocouple / Meter / Rod	Newport	HHM290/N	M218	12/14/12
(X)	Balance/Scale	Denver Instruments	MXX-612	S295	9/14/12
(X)	High Mass Impactor (pointed projectile)	Intertek	Z87-2010 High Mass	J143	12/14/12
(X)	Air Cannon	Basic Eng	HVIT	N740	8/3/13
(X)	Ventilation Probe	Intertek	1.5mm x 125mm	J154	8/3/13
(X)	Needle Penetrator	Intertek	Z87-2010 Penetrator	J174	N/A
(X)	Drop Ball	Intertek	Z87-2010 Drop Ball	J147	2/10/13

### INTERTEK TEST DATA SHEETS

Page 3 of 7

Client: Vicsa Safety SA Engineer: Erik Sprague 9/18/12-Job No.: G100766457 Tested By: Erik Sprague Date: 9/26/12 Product: Spectacles Reviewed By: Sara Ensign Date: 9/27/12 Model No.: Spy Flex Standard: ANSI/ISEA Z87.1-2010 Description: Safety Spectacles with amber lenses

Sample Control Number: 2012-06-250592; 2012-08-253704; 2012-08-253705 TRANSCRIBED TEST DATA

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:	FF Respirator:	Removable:
Style:	Plano:	X	Rx:	Photochromatic:	Tinted: X	Clear:	Non-Removable: X

## **Section 5, General Requirements (All Protectors)**

Section (Test)	Requirement			Results		Compliance	
5	General Requirements (A	Il Protectors)					
5.2	Physical Requirements:  Protectors shall be free from other defects which are likel injury during use.	projections, sh	narp edges or	Sample #	Physical Def NO	1 ects	PASS
5.2.1 (9.6)	Drop Ball Impact Resistance The protector lenses shall no a steel ball. A complete device following occurs; piece fully surface, fracture, penetration not retained  Drop Weight, grams Diameter, mm (inch) Drop Height, cm (inch)	ot fracture when ice shall fail if a y detached fron	any of the	Req'd:  Actual:  Sample 9.6: (1) (2) (3) (4)	Laboratory Condi Temperature Range 18-28 °C (65-82 °F) 71 °  Impact eye Location Left Left Right Right	Humidity	PASS
5.2.2	Protector Criteria			See section	5.2.1		Info only
5.2.3 (9.7)	Ignition:  Protectors shall not ignite or rod is removed. Each extern (exclusive of textiles or elas	ally exposed m	aterial	Sample #:		tions:	PASS

Client:	Vicsa Safety SA	Engineer:	Erik Sprague		
Job No.:	G100766457	Tested By:	Erik Sprague	Date:	9/18/12- 9/26/12
Product:	Spectacles	Reviewed By:	Sara Ensign	Date:	9/27/12
Model No.:	Spy Flex	Standard:	ANSI/ISEA Z87.1-2010		
Description:	Safety Spectacles with amber lenses				

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:	FF Respirator:	Removable:	
Style:	Plano:	X	Rx:	Photochromatic:	Tinted: X	Clear:	Non-Removable: X	

Section	Requirement	Results	Compliance
(Test)	Acquirement	Acsuits	Computance
5	General Requirements (All Protectors)		
5.2.4 (9.8)	Corrosion Resistance:		
	Metal components used in protectors shall be corrosion resistant to the degree that the function of the protector shall not be impaired by the corrosion. Lenses and electrical components are excluded from these requirements.    Date/Time: 9/18/12 - 9/19/12 / 1pm	Laboratory Conditions:   Req'd:   Temperature   Humidity     Range 18-28 °C   Range     (65-82 °F)   35-65 %     Actual:   67-73 °   58-63%     Sample #:   2     Metal Components   Function Impaired     Screw 1   NO     Screw 2   NO	PASS
5.2.5	Minimum Coverage Area: The eyewire and lens shall cover in plain view an area of not less than 40 mm (1.57 in.) in width and 33 mm 1.30 in.) in height (elliptical) in front of each eye, centered on the geometrical center of the lens. Frames designed for small head sizes shall cover in plain view an area of not less than 34 mm (1.34 in.) in width and 28 mm (1.10 in.) in height (elliptical), centered on the geometrical center of the lens. Frames designed for small head sizes shall be tested on the 54 mm (2.13 in.) PD headform and are permitted to have an eye size, including eyewire thickness, as small as 34 x 28 mm (1.34 x 1.10 in.). Frames that are tested using the small headform shall be marked on the frame with the letter "H".	Sample #: 1  Minimum Coverage  YES	PASS
5.3	Minimum Lens Thickness:  The minimum lens thickness for specified protector shall be those indicated in Table 3.	Sample #: 1 Type: (see table below) 6 Measured Lens Thickness (mm): 1.65	PASS
5.4	Marking Requirements:  All protectors shall bear the permanent markings in specified locations as shown in Table 4a of the standard. Markings shall follow the sequence shown in Table 4b of the standard. Marking for lens type and use applications shall be required only when claims for protection against the hazard or indicated use are made by the manufacturer.  In addition, the components of frames that are intended for prescription protector use shall be marked for size in accordance with the system described in ANSI Z80.5-2004. Fronts shall be marked with the A-dimension (eye size) and DBL.	Sample #: 1  Markings on Sample  VICZ87+U6L1.3S  Meets requirements of Table 4a or 4b: YES	PASS

Client: Vicsa Safety SA Engineer: Erik Sprague 9/18/12-Job No.: G100766457 Tested By: Erik Sprague Date: 9/26/12 Product: Spectacles Reviewed By: Sara Ensign Date: 9/27/12 Spy Flex Model No .: Standard: ANSI/ISEA Z87.1-2010 Description: Safety Spectacles with amber lenses

Sample Control Number: 2012-06-250592; 2012-08-253704; 2012-08-253705 TRANSCRIBED TEST DATA

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:		FF Respirator:	Removable:	
Style:	Plano:	X	Rx:	Photochromatic:	Tinted: X	ζ.	Clear:	Non-Removable:	X

Section	Requirement		Results	Compliance		
(Test)						
5	General Requirements (All Protecto	ors)				
	Reference Table 4a of standard:			_		
	T CM 1	Lenses & Repla	cement Lenses		Complete Device	
	Type of Mark	Spectacles	All Other	Frame	(no replaceable parts)	
	All Protectors shall bear the marking	gs below:				
	Mfg Mark or Logo	Yes	Yes	Yes	Yes	
	Standard – Plano		Z87	Z87	Z87	1
	Standard – Rx		Z87	Z87-2	Z87-2	
	Coverage (small head)	Н		Н		
	The following markings shall be requ	uired only when c	aims are made:			
	Impact Mark –Impact rated Plano	+	Z87+	Z87+	Z87+	
	Impact Mark – Impact rated Rx	+	Z87+	Z87-2+	Z87-2+	
	Lens Type – Clear					
	Lens Type - Welding	W shade	W shade		W shade	
	Lens Type – UV Filter	U scale #	U scale #		U scale #	
	Lens Type – Visible Light Filter	L scale #	L scale #		L scale #	
	Lens Type – IR Filter	R scale #	R scale #		R scale #	
	Lens Type – Variable Tint	V	V		V	
	Special Purpose	S	S		S	
	Use- Splash / Droplet	]		D3	D3	
	Use – Dust			D4	D4	
	Use – Fine Dust			D5	D5	

# Section 6, Impact Protector Requirements (Z87+)

Section (Test)	Requirement		Compliance	
6	Impact Protector Requirements (Z87+)			
6.1	General			
6.1.1	Impact Rated Protectors:	Information only		
	Shall meet the impact requirements and be marked per Tables 4a and 4b of the standard.			
6.1.2	Frames and Shells	Tested as a complete device 6.2.2 and 6.2.3	PASS	
6.1.3 (9.10)	Lateral (side) Coverage:  Impact rated protectors shall provide continuous lateral coverage (i.e. no openings greater than 1.5 mm (.06 in.) in diameter) from the edge of the lens to a point not less than 10 mm (0.394 in.) posterior to the corneal plane and not less than 10 mm (0.394 in.) above and not less than 10 mm (0.394 in.) below the horizontal plane centered on the eyes of the headform.	Sample #: Location  0° Right (random) 10 mm above 90° Right 10mm above 90° Left 10mm above 0° Left (random) 10mm below 90° Right 10mm below 90° Left 10mm below	Coverage YES YES YES YES YES YES YES YES	PASS

Client: Vicsa Safety SA Engineer: Erik Sprague 9/18/12-Job No.: G100766457 Tested By: Erik Sprague Date: 9/26/12 Product: Reviewed By: Sara Ensign Spectacles Date: 9/27/12 Model No.: Spy Flex Standard: ANSI/ISEA Z87.1-2010 Description: Safety Spectacles with amber lenses

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:	FF Respirator:	Removable:
Style:	Plano:	X	Rx:	Photochromatic:	Tinted: X	Clear:	Non-Removable: X

Impact  Geight, (grams)  rop Height, cm (in  th Velocity Impact  c complete device shows a point of the rear  The state of the rear  and the state of the stat	Criteria  Shall be capable of resisting an projectile.  all fail if any of the following occurrom inner surface, fracture, surface, lens not retained.  or-Pointed Projectile  Required Actual  500 502  ch) 127 (50") 50"	; S 9 ((	Req' Actua Sampl 0.11: 1) 2) 3)	d: Tempe Range 18 (65-8: al: 71  le Impact of Location Left Left Right Right	Conditions: rature H 3-28 °C 2 °F) 3 °  Eye Frac pene	Jumidity Range 85-65 % 49%	Info only PASS
act Requirements tector Acceptance h Mass Impact: complete device seact from a pointed omplete device short from the feather of the real  Impact  Geight, (grams) Top Height, cm (in h Velocity Impact complete device short from the real complete de	Criteria  Shall be capable of resisting an projectile.  all fail if any of the following occurrom inner surface, fracture, surface, lens not retained.  Or-Pointed Projectile  Required Actual  500 502  ch) 127 (50") 50"  Eshall be capable of resisting impact	; S 9 ((	Req' Actua Sampl 9.11: 1) 2) 3)	Laboratory d: Tempe Range 18 (65-82 al: 71  e Impact of Location Left Left Right Right	Conditions: rature H 3-28 °C 2 °F) 3 °  Eye Frac pene	fumidity Range 15-65 % 49%  ture, tration, etc NO NO NO	
tector Acceptance h Mass Impact: complete device seact from a pointed omplete device short fully detached fetration of the rear  Impact reight, (grams) rop Height, cm (in h Velocity Impact complete device seach a 6.35 mm (0.25)	shall be capable of resisting an projectile.  all fail if any of the following occurrom inner surface, fracture, surface, lens not retained.  or- Pointed Projectile  Required Actual  500 502  ch) 127 (50") 50"  : shall be capable of resisting impact	; S 9 ((	Req' Actua Sampl 9.11: 1) 2) 3)	Laboratory d: Tempe Range 18 (65-82 al: 71  e Impact of Location Left Left Right Right	Conditions: rature H 3-28 °C 2 °F) 3 °  Eye Frac pene	fumidity Range 15-65 % 49%  ture, tration, etc NO NO NO	
h Mass Impact: complete device stact from a pointed omplete device share fully detached fetration of the real Impact (eight, (grams) rop Height, cm (in the Velocity Impact of the complete device standard from a 6.35 mm (0.25).	shall be capable of resisting an projectile.  all fail if any of the following occurrom inner surface, fracture, surface, lens not retained.  or- Pointed Projectile  Required Actual  500 502  ch) 127 (50") 50"  : shall be capable of resisting impact	; S 9 ((	Req' Actua Sampl 9.11: 1) 2) 3)	Laboratory d: Tempe Range 18 (65-82 al: 71  e Impact of Location Left Left Right Right	Conditions: rature H 3-28 °C 2 °F) 3 °  Eye Frac pene	fumidity Range 15-65 % 49%  ture, tration, etc NO NO NO	PASS
rop Height, cm (in th Velocity Impact complete devices in a 6.35 mm (0.25	ch) 127 (50") 50"  : shall be capable of resisting impact	(	(3)	Right Right		NO	
complete device s n a 6.35 mm (0.25	shall be capable of resisting impact						
tact with the eye of alt of the impact. complete device share fully detached f	in Table 5 (see Appendix A). No f the headform is permitted as a all fail if any of the following occurrom inner surface, fracture, surface, lens not retained. For the	, S	Req'	Range 18 (65-82 al: 70			
n-velocity test, the	unaided eye observes any piece it paste, or observes contact paste or		#				
			(1)				
Complete APPE	NDIX A prior to testing **		(2)	30° Rt. Eye	151.7	NO	PASS
	Steel Ball		(3)	*90° Rt. Eye (above)	151.8	NO	
iameter, mm	Required         Actual           meter, mm         6.35         6.34         (4)					NO	
	1.06 1.01		(5)	30° Lt. Eye	150.8	NO	
eight, grams			(6)	*90° Lt. Eye (below)	150.4	NO	
iar		Required Actual meter, mm 6.35 6.34	Required Actual neter, mm 6.35 6.34	Steel Ball   Required   Actual   (4)   (5)	Steel Ball   Required   Actual   (above)   (4)   0° Lt. Eye   (below)	Steel Ball   Required   Actual   (above)	Eye (above)   151.8 NO

### INTERTEK TEST DATA SHEETS

Page 7 of 7

Client: Vicsa Safety SA Engineer: Erik Sprague 9/18/12-Job No.: G100766457 Tested By: Erik Sprague Date: 9/26/12 Product: Spectacles Reviewed By: Sara Ensign Date: 9/27/12 Model No.: Spy Flex Standard: ANSI/ISEA Z87.1-2010 Description: Safety Spectacles with amber lenses

Type:	Spectacle:	X	Goggle:	Faceshield:	WH Lenses:	FF Respirator:	Removable:	
Style:	Plano:	X	Rx:	Photochromatic:	Tinted: X	Clear:	Non-Removable:	X

Section (Test)	Requirement	Results	Compliance						
6	Impact Protector Requirements (Z87+)								
6.2.4 (9.13)	Penetration Test (lenses only):  Lenses for all complete devises shall be capable of resisting penetration by a weighted needle.  A complete device shall fail if any of the following occur piece fully detached from inner surface, fracture, penetration of the rear surface, lens not retained.  Needle Penetrator  Required Actual Weight, grams 44.2 43.95  Drop Height, cm (inch) 127 (50") 50"	Laboratory Conditions:   Req'd: Temperature   Humidity     Range 18-28 °C   Range     (65-82 °F)   35-65 %     Actual: 71 ° 49%     Sample   Impact eye   Penetration     10   Left   NO     (2)   Left   NO     (3)   Right   NO     (4)   Right   NO	PASS						
6.2.5 (9.14)	Prescription Lens Material Qualification	Not this type	NA						
6.2.6 (9.11)	Prescription Lens Mounting Qualification  A complete device shall fail if any of the following occur piece fully detached from inner surface, fracture, penetration of the rear surface, lens not retained.	Not this type	NA						